

GEM SANDWICH CHILLER TECHNICAL DATASHEET

SC900 SANDWICH CHILLER



SC1200 SANDWICH CHILLER



SC900

Dimensions (mm)	External
Width	900
Depth	780
Height	1500
Capacity	
Capacity (cu.ft/ltrs)	7.6/216

SC1200

Dimensions (mm)	External
Width	1200
Depth	780
Height	1500
Capacity	
Capacity (cu.ft/ltrs)	10.5/296

KEY FEATURES

- Ideal for front-of-house open display of drinks, snacks and other grab and go products
- Foodsafe stainless steel exterior and interior
- Forced air refrigeration
- Full width, energy saving LED strip lighting
- Adjustable glass shelving
- Castors
- Digital controller
- Tempered glass sides
- Self-retracting night blind
- Designed and engineered to operate efficiently up to a 25°C ambient



SANDWICH CHILLERS TECHNICAL DATA

Sandwich Chillers	SC900	SC1200
Temperature (°C)	+2/+5	+2/+5
Power Supply	220V/240V 50Hz/1Ph	220V/240V 50Hz/1Ph
Fuse (Amps)	13	13
Defrost	Hot Gas	Hot Gas

Fittings

Shelves	3 adjustable shelves & base	3 adjustable shelves & base
---------	-----------------------------	-----------------------------

Electrical Data - Standard Refrigerant

Refrigerant	R404a	R404a
Start Up (Amps)	34.3	34.1
Running (Amps)	7.2	8.5
Heat Rejection*	2408	3072

IMPORTANT NOTES:

*Heat rejection is evaporating at -10°C in 32°C Ambient

All refrigeration equipment requires adequate ventilation for efficient and effective performance

Williams is committed to a policy of continual product development and innovation. As such, we reserve the right to change product specifications stated without prior notice.

Williams Refrigeration
Bryggen Road,
North Lynn Industrial Estate
King's Lynn, Norfolk. PE30 2HZ

T +44(0) 1553 817 000
Spares: +44(0) 1553 817 017
E info@williams-refrigeration.co.uk
W www.williams-refrigeration.co.uk

