



WILLIAMS REFRIGERATION
MIDDLE EAST & AFRICA PRICE LIST 2024

CONTENTS



Contact Info	3
Greenlogic	4
Jade Cabinets	6
GEM Cabinets	7
Amber Cabinets	8
Jade Counters	9
GEM Counters	11
Zircon Fish Cabinets	12
Thaw Cabinets	13
Mobile Banqueting Cabinets	14
Meat Ageing Cabinets	16
Duck Drying Cabinets	17
Aztra Cabinets	18
Under Broiler Cabinets	20
Thermowells	22
Bakery Counters	23
Emerald Counters	24
Onyx Preparation Counters	26
Preparation Counters	27
Ruby Modular Roll-In Cabinets	28
Reach-In Blast Chiller/Freezer	30
Bottle Coolers	31
Wine Coolers	34
Front of House	35
Coldrooms	36

Global Offices

WILLIAMS DUBAI

PO Box 333215
607 Building 1B
Dubai Design District
Dubai, United Arab Emirates

T +971 4 510 8203

E sales@williams-dubai.com

WILLIAMS REFRIGERATION

Bryggen Road
North Lynn Industrial Estate
King's Lynn
Norfolk PE30 2HZ

T +44 (0) 1553 817 000

E info@williams-refrigeration.co.uk
W www.williams-refrigeration.co.uk

WILLIAMS HONG KONG

Unit C, 12/F Roxy Industrial Centre
58 - 66 Tai Lin Pai Road
Kwai Chung
New Territories, Hong Kong

T +852 2407 5422

E info@williams-hongkong.com
W www.williams-hongkong.com.hk

Dubai Office Contact Details



Robert Purves

International Sales Manager

M +44 (0) 7760 255 429

T +44 (0) 1553 817 000

E rpurves@williams-refrigeration.co.uk



Jay Krishnan

Sales Manager

M +971 56 489 1305

T +971 4 510 8203

E jay@williams-dubai.com



Arun Babu

Sales Estimator

T +971 4 510 8205

E estimation@williams-dubai.com



Shilpa

Sales Order Processor

T +971 4 510 8203

E sop@williams-dubai.com



greenlogic

Our commitment to sustainable refrigeration

annual
CO² emissions
reduced by

297
tonnes

90%

of our professional
products use
natural
refrigerant

our products
are

99%
recyclable

Introduction

Greenlogic forms an important part of our Corporate Social Responsibility (CSR) initiative. All three of our manufacturing plants (UK, Australia and China) are committed to, and certified with, the prestigious ISO 14001 Environmental Management Standard for the design, manufacture and installation of refrigeration products.

We work extremely hard as a company to maintain and continually develop our green processes to provide sustainable refrigeration in today's market. Our 'Innovation at the Core' initiative outlines our continued efforts and investments to make the company, and environment, a greener place. Through Greenlogic, we strive towards a greener future.

Williams - Refrigeration for the Real World

We recycle 99% of production waste with nothing being sent to landfill and maintain that 99% of materials used in manufacture are recyclable. Sustainable practices are key to the ongoing success at Williams, with further eco-initiatives continually being developed.

Our Greenlogic guide includes a focus on our three core areas; Product, Plant and Processes.

www.greenlogic.info



FEATURES AND BENEFITS

- Gastronorm (GN2/1) range of cabinets
- CoolSmart controller for reduced energy consumption
- Designed to operate efficiently up to a 43°C ambient
- Full length integral 'easy grab' door handle
- Self closing lockable doors with magnetic gaskets
- 304 stainless steel exterior and interior
- Easy to clean stainless steel dished base with radiused corners
- Heavy duty, non marking swivel and brake castors
- Polyurethane insulation for excellent thermal efficiency
- **Multiple refrigerants are available - please contact your Dubai office for further information**
- **KSA 60Hz SABER options are available - please contact your Dubai office for further information**
- **All prices are in US Dollars**

SINGLE DOOR				DOUBLE DOOR			
HJ1SS	MJ1SS	LJ1SS	HLJ1SEA	HJ2SS	MJ2SS	LJ2SS	HLJ2SS
\$3,522	\$3,709	\$3,918	\$6,558	\$5,121	\$5,280	\$6,124	\$8,549

Technical Specification

Dimensions (mm)

SINGLE DOOR				DOUBLE DOOR			
W 737	W 737	W 737	W 737	W 1400	W 1400	W 1400	W 1400
D 824	D 824	D 824	D 824	D 824	D 824	D 824	D 824
H 1960	H 1960	H 1960	H 1960	H 1960	H 1960	H 1960	H 1960

Temperature

Refrigerator **H** +1 / +4°C Freezer **L** -18 / -22°C Meat **M** -2 / +2°C

Jade Upright Options

HGD G1 Garnet/Jade/Zircon Heated glass door with LED Light	\$766	(Single door)
HGD G2 Garnet/Jade/Zircon Heated glass door with LED Light	\$1,371	(Two door)
H/D - 2 half doors for single section cabinet	\$65	
G2 H/D - 4 half doors for Two Section cabinet	\$128	
Set Up for 400x600 mm tray single door	\$340	
Set Up for 400x600 mm tray two door	\$683	
Pass Through - 1 additional door for single section cabinet	\$1,106	
Pass Through full door, additional 2 doors for two section cabinet	\$2,213	
Shelf PE & slides	\$104	One GN2/1 PE coated shelf & one pair of tray slides
Stainless steel wire shelf GN 2/1	\$181	
G/J1T 304 stainless steel back	\$128	(Single door)
G/J2T 304 stainless steel back	\$253	(Two door)
G/J1 s/s 304 under base	\$102	(Single door)
G/J2 s/s 304 under base	\$192	(Two door)

Jade Upright LCL Packing

Packing wooden crate for LCL shipment, single section uprights	\$270
Packing wooden crate for LCL shipment, double section uprights	\$353



FEATURES AND BENEFITS

- Gastronorm (GN2/1) range of cabinets
- Digital controller
- Designed to operate efficiently up to a 43°C ambient
- Self-closing doors with easy grab handle
- Heavy duty, non-marking swivel & brake castors
- Multiple refrigerants are available - please contact your Dubai office for further information
- KSA 60Hz SABER options are available - please contact your Dubai office for further information
- All prices are in US Dollars

SINGLE DOOR				DOUBLE DOOR			
GEM-HG1T	GEM-HG1TSEA	GEM-LG1T	GEM-LG1TSEA	GEM-HG2T	GEM-HG2TSEA	GEM-LG2T	GEM-LG2TSEA
\$2,505	\$2,531	\$2,716	\$2,788	\$3,249	\$3,334	\$3,756	\$3,868

Technical Specification

Dimensions (mm)							
W 737	W 737	W 737	W 737	W 1400	W 1400	W 1400	W 1400
D 824	D 824	D 824	D 824	D 824	D 824	D 824	D 824
H 1975	H 1975	H 1975	H 1975	H 1975	H 1975	H 1975	H 1975

Temperature

Refrigerator	H	+1 / +4°C	Freezer	L	-19 / -22°C
--------------	----------	-----------	---------	----------	-------------

GEM Cabinet Options

GEM G1TSS back	\$118
GEM G1TSS base	\$94
GEM G2TSS back	\$239
GEM G2TSS base	\$181
GEM GN2/1 SS fine spaced wire shelves, add-on cost to replace existing PE shelf	\$168 per shelf
GEM Garnet / Opal HG1T / HG2T / HO1U / HO2U / HO3U R290 Refrigerant	\$335
GEM Garnet / Opal LG1T / LG2T / LO1U / LO2U / LO3U R290 Refrigerant	\$501

GEM Cabinet LCL Packing

Packing wooden crate for LCL shipment, single section uprights	\$270
Packing wooden crate for LCL shipment, double section uprights	\$353



FEATURES AND BENEFITS

- CoolSmart controller for reduced energy consumption
- Designed to operate efficiently up to a 32°C ambient
- Barrel locked doors for added security
- Low GWP, zero ODP polyurethane insulation
- Galvanised back & base
- 430 stainless steel exterior with 304 stainless steel interior
- Adjustable feet fitted as standard with rear castors for easy placement on the A135
- **Multiple refrigerants are available - please contact your Dubai office for further information**
- **KSA 60Hz SABER options are available - please contact your Dubai office for further information**
- **All prices are in US Dollars**

UNDERCOUNTER			UPRIGHT	
1 DOOR		2 DOOR	1 DOOR	
HA135SS	LA135SS	HA280SS	HA400SS	LA400SS
\$2,477	\$2,603	\$3,188	\$2,925	\$3,141

Technical Specification

Dimensions (mm)

W 606	W 606	W 1210	W 645	W 645
D 577	D 577	D 577	D 650	D 650
H 800	H 800	H 800	H 1770	H 1770

Temperature

Refrigerator **H** +1 / +4°C Freezer **L** -18 / -22°C

Amber Cabinet Options

Amber HA135 heated glass door H models	\$279
Amber HA280 heated glass door H models	\$561
HA135/400 LED internal light H models	\$130
Amber HA400 heated glass door H models only	\$605

Amber Cabinet LCL Packing

Packing wooden crate for LCL shipment	\$270
---------------------------------------	-------



FEATURES AND BENEFITS

- Gastronorm (GN 1/1) counters range
- CoolSmart controller for reduced energy consumption
- Designed to operate efficiently up to a 43°C ambient
- Self closing lockable doors with magnetic gaskets
- Full integral 'easy grab' door handle
- Galvanised back and base
- Easy to clean stainless steel dished base with radiused corners
- Heavy duty, non marking swivel and brake castors
- Removable cassette refrigeration system for easy servicing
- 304 stainless steel exterior and interior
- **Multiple refrigerants are available - please contact your Dubai office for further information**
- **KSA 60Hz SABER options are available - please contact your Dubai office for further information**
- **All prices are in US Dollars**

SINGLE DOOR			DOUBLE DOOR		
HJC1XD	MJC1XD	LJC1XD	HJC2XDD	MJC2XDD	LJC2XDD
\$3,302	\$3,345	\$3,558	\$3,689	\$3,743	\$3,915

Technical Specification

Dimensions (mm)

SINGLE DOOR			DOUBLE DOOR		
HJC1XD	MJC1XD	LJC1XD	HJC2XDD	MJC2XDD	LJC2XDD
W 905	W 905	W 905	W 1370	W 1370	W 1370
D 659	D 659	D 659	D 659	D 659	D 659
H 860	H 860	H 860	H 860	H 860	H 860

THREE DOOR			THREE SECTION 6 DRAWER	THREE SECTION 9 DRAWER
HJC3XDDD	MJC3XDDD	LJC3XDDD	LJC3XNNN	LJC3XWWW
\$4,316	\$4,434	\$4,647	\$6,179	\$6,945

Technical Specification

Dimensions (mm)

THREE DOOR			THREE SECTION 6 DRAWER	THREE SECTION 9 DRAWER
HJC3XDDD	MJC3XDDD	LJC3XDDD	LJC3XNNN	LJC3XWWW
W 1835	W 1835	W 1835	W 1960	W 1960
D 659	D 659	D 659	D 659	D 659
H 860	H 860	H 860	H 860	H 860

Temperature

Refrigerator **H** +1 / +4°C Freezer **L** -18 / -22°C Meat **M** -2 / +2°C

Jade Counter Options

Back Splash to 100mm height and 20mm deep	\$144	Opal/Jade/Emerald Stainless Steel back with louvre	\$122
Counter Top Side Splash (per side)	\$91	Opal/Jade/Stainless Steel back with louvre	\$141
Opal/Jade/ Biscuit Top (Worktop removed and replaced with stainless steel)	\$0	Opal/Jade/Stainless Steel back with louvre	\$157
Drawer 2 Bank GN1/1 Set (add "N" to counter code)	\$662	Opal/Jade/Emerald/Bakery 1U 304 under base	\$142
Drawer 3 Bank GN1/1 Set (add "W" to counter code)	\$993	Opal/Jade/Emerald/Bakery 2U 304 under base	\$237
Pass Through Opal/Jade/Emerald	\$912	Opal/Jade/Emerald/Bakery 3U 304 under base	\$237
Raised Pan Holder Opal/Jade/Emerald	\$2,459	Opal/Jade/Emerald/Bakery 4U 304 under base	\$239
Opal/Jade/Emerald Well for GN pan with insulated S/S cover	\$1,095	PE Coated wire Shelf GN 1/1 + one pair of S/S slides	\$93
Opal/Jade Stainless Steel back with louvre	\$78	Stainless Steel wire shelf GN 1/1	\$159

Jade Counter LCL Packing

Packing wooden crate for LCL shipment	\$270
---------------------------------------	-------

FEATURES AND BENEFITS

- Gastronorm (GN 1/1) counters range
- CoolSmart controller for reduced energy consumption
- Designed to operate efficiently up to a 43°C ambient
- Self closing lockable doors with magnetic gaskets
- Full integral 'easy grab' door handle
- Galvanised back and base
- Easy to clean stainless steel dished base with radiused corners
- Heavy duty, non marking swivel and brake castors
- Removable cassette refrigeration system for easy servicing
- 304 stainless steel exterior and interior
- **Multiple refrigerants are available - please contact your Dubai office for further information**
- **KSA 60Hz SABER options are available - please contact your Dubai office for further information**
- **All prices are in US Dollars**

FOUR DOOR		TWO DOOR SLIMLINE		THREE DOOR SLIMLINE	
HJC4XDDDD	MJC4XDDDD	HJSC2XDD	LJSC2XDD	HJSC3XDDD	LJSC3XDDD
\$5,524	\$5,646	\$3,608	\$3,839	\$4,251	\$4,592
Technical Specification					
Dimensions (mm)					
W 2300	W 2300	W 1345	W 1345	W 1810	W 1810
D 659	D 659	D 500	D 500	D 500	D 500
H 860	H 860	H 860	H 860	H 860	H 860

Temperature

Refrigerator **H** +1 / +4°C Freezer **L** -18 / -22°C Meat **M** -2 / +2°C

Jade Counter Options

Back Splash to 100mm height and 20mm deep	\$144	Opal/Jade/Emerald Stainless Steel back with louvre	\$122
Counter Top Side Splash (per side)	\$91	Opal/Jade/Stainless Steel back with louvre	\$141
Opal/Jade/ Biscuit Top (Worktop removed and replaced with stainless steel)	\$0	Opal/Jade/Stainless Steel back with louvre	\$157
Drawer 2 Bank GN1/1 Set (add "N" to counter code)	\$662	Opal/Jade/Emerald/Bakery 1U 304 under base	\$142
Drawer 3 Bank GN1/1 Set (add "W" to counter code)	\$993	Opal/Jade/Emerald/Bakery 2U 304 under base	\$237
Pass Through Opal/Jade/Emerald	\$912	Opal/Jade/Emerald/Bakery 3U 304 under base	\$237
Raised Pan Holder Opal/Jade/Emerald	\$2,459	Opal/Jade/Emerald/Bakery 4U 304 under base	\$239
Opal/Jade/Emerald Well for GN pan with insulated S/S cover	\$1,095	PE Coated wire Shelf GN 1/1 + one pair of S/S slides	\$93
Opal/Jade Stainless Steel back with louvre	\$78	Stainless Steel wire shelf GN 1/1	\$159

Jade Counter LCL Packing

Packing wooden crate for LCL shipment \$270



FEATURES AND BENEFITS

- Gastronorm (GN1/1) range of counters
- Digital controller
- Designed to operate efficiently up to a 43°C ambient
- Self-closing doors with easy grab handle
- Heavy duty, non-marking swivel & brake castors
- Multiple refrigerants are available - please contact your Dubai office for further information
- KSA 60Hz SABER options are available - please contact your Dubai office for further information
- All prices are in US Dollars

SINGLE DOOR		DOUBLE DOOR		THREE DOOR	
GEM-HO1U	GEM-LO1U	GEM-HO2U	GEM-LO2U	GEM-HO3U	GEM-LO3U
\$2,087	\$2,309	\$2,510	\$2,784	\$2,958	\$3,199

Technical Specification					
Dimensions (mm)					
W 905	W 905	W 1370	W 1370	W 1835	W 1835
D 670	D 670	D 670	D 670	D 670	D 670
H 850	H 850	H 850	H 850	H 850	H 850

Temperature

Refrigerator **H** +1 / +4°C Freezer **L** -19 / -22°C

GEM Counter Options

GEM Opal, S/S backsplash 100mm high and 20mm deep	\$126
GEM Opal Biscuit Top (Worktop removed and replaced with stainless steel)	\$56
GEM GN 1/1 SS fine spaced wire shelves, add on cost to replace existing PE shelf	\$115 per shelf
GEM Opal, bank of 2 drawers with locks (add "N" to counter code)	\$167
GEM Opal, bank of 3 drawers with locks (add "W" to counter code)	\$265
GEM Opal Stainless Steel back with louvre for 1 section counter	\$74
GEM Opal Stainless Steel back with louvre for 2 section counter	\$115
GEM Opal Stainless Steel back with louvre for 3 section counter	\$131
GEM Opal 1U 304 under base for 1 section counter	\$135
GEM Opal 1U 304 under base for 2 section counter	\$179
GEM Opal 1U 304 under base for 3 section counter	\$224
GEM Garnet / Opal HG1T / HG2T / HO1U / HO2U / HO3U R290 Refrigerant	\$335
GEM Garnet / Opal LG1T / LG2T / LO1U / LO2U / LO3U R290 Refrigerant	\$501

GEM Counter LCL Packing

Packing wooden crate for LCL shipment	\$270
---------------------------------------	-------



FEATURES AND BENEFITS

- Up to 75mm polyurethane insulation for excellent thermal efficiency
- Easy to clean stainless steel dished base with radiused corners
- Self closing door with magnetic balloon gaskets
- CoolSmart controller for reduced energy consumption
- Designed to operate efficiently up to a 43°C ambient
- **Multiple refrigerants are available - please contact your Dubai office for further information**
- **KSA 60Hz SABER options are available - please contact your Dubai office for further information**
- **All prices are in US Dollars**

ZIRCON FISH CABINET

FZ18T

\$6,192

Technical Specification

Dimensions (mm)

W 571

D 698

H 1770

Capacity (ltrs)

324

Temperature

Fish **F** -2 / +2°C

Zircon Fish Cabinet Options

Z18 Back 304 S/S \$128

Z18 Base 304 S/S \$102

Zircon Fish Cabinet LCL Packing

Packing wooden crate for LCL shipment single section upright \$270



FEATURES AND BENEFITS

- Overnight Thaw cabinet for safe, effective thawing of frozen foods
- Designed to operate efficiently up to a 43°C ambient
- 75mm polyurethane insulation for excellent thermal efficiency
- Heavy duty, non marking swivel and brake castors
- Food can be kept upto 5 days after thawing
- Galvanised back & base
- Forced Air heating and cooling, maintains temperature at +0 /+3°C
- **Multiple refrigerants are available - please contact your Dubai office for further information**
- **KSA 60Hz SABER options are available - please contact your Dubai office for further information**
- **All prices are in US Dollars**

SINGLE DOOR		DOUBLE DOOR	
OT1		OT2	
\$6,767		\$11,437	
Technical Specification			
Dimensions (mm)			
	W 865		W 1655
	D 792		D 792
	H 1965		H 1965
Capacity (ltrs)			
	548		1153

Temperature

+0 / +3°C

Thaw Cabinet Options

S/S back OT1	\$150
S/S back OT2	\$300
S/S base OT1	\$115
S/S base OT2	\$289

Thaw Cabinet LCL Packing

Packing Wooden Crate for LCL Shipment, single section uprights	\$270
Packing Wooden Crate for LCL Shipment, double section uprights	\$353



FEATURES AND BENEFITS

- Transports heated (MHC) or chilled (MRC) food from kitchen to banqueting area safely
- In-built, easy grab side handles for manoeuvrability
- All round bumper for added protection during transit
- Environment friendly polyurethane insulation
- Heavy duty, non-marking, swivel castors with brakes
- Accepts gastronorm (GN 1/1 and GN 2/1) pans
- **Multiple refrigerants are available - please contact your Dubai office for further information**
- **KSA 60Hz SABER options are available - please contact your Dubai office for further information**
- All prices are in US Dollars

HEATED MOBILE BANQUETING CABINETS				REFRIGERATED MOBILE BANQUETING CABINETS			
1 DOOR	1 DOOR	1 DOOR	2 DOOR	1 DOOR	1 DOOR	1 DOOR	2 DOOR
MHC10	MHC12	MHC16	MHC32	MRC8	MRC10	MRC16	MRC32
\$4,681	\$4,100	\$5,378	\$9,048	\$3,963	\$4,817	\$5,352	\$9,818

Technical Specification

Dimensions (mm)							
W 807	W 700	W 807	W 1470	W 700	W 807	W 807	W 1470
D 885	D765	D 885	D 885	D 765	D 885	D 885	D 885
H 1371	H 1500	H 1768	H 1768	H 1500	H 1603	H 2000	H 2000
Capacity (GN containers 50mm deep-not supplied)							
10 x GN2/1	12 x GN1/1	16 x GN2/1	32 x GN2/1	8 x GN1/1	10 x GN2/1	16 x GN2/1	32 x GN2/1
Trayslides (included)							
10	12	16	32	8	10	16	32

Temperature

Mobile Heated **MHC** +78 / +82°C Mobile Refrigerated **MRC** +1 / +4°C

Mobile Banqueting Cabinet Options

Half door option for Heated Cabinet MHC16	\$124
---	-------

Mobile Banqueting Cabinet LCL Packing

Packing Wooden Crate for LCL Shipment, single section uprights	\$270
Packing Wooden Crate for LCL Shipment, double section uprights	\$353



FEATURES AND BENEFITS

- Transports heated (MHC) or chilled (MRC) food from kitchen to banqueting area safely
- In-built, easy grab side handles for manoeuvrability
- All round bumper for added protection during transit
- Environment friendly polyurethane insulation
- Heavy duty, non-marking, swivel castors with brakes
- Accepts gastronorm (GN 1/1 and GN 2/1) pans
- **Multiple refrigerants are available - please contact your Dubai office for further information**
- **KSA 60Hz SABER options are available - please contact your Dubai office for further information**
- All prices are in US Dollars

FREEZER MOBILE BANQUETING CABINETS

1 DOOR	1 DOOR	2 DOOR
MRC10 F	MRC16 F	MRC32 F
\$5,433	\$6,037	\$11,094

Technical Specification

Dimensions (mm)		
W 807	W 807	W 1470
D 885	D 885	D 885
H 1603	H 2000	H 2000
Capacity (GN2/1 containers 50mm deep-not supplied)		
10	16	32
Trayslides (included)		
10	16	32

Temperature

Mobile Freezer **MRC F** -18 / -22°C

Mobile Banqueting Cabinet LCL Packing

Packing Wooden Crate for LCL Shipment, single section uprights	\$270
Packing Wooden Crate for LCL Shipment, double section uprights	\$353



FEATURES AND BENEFITS

- 80mm polyurethane insulation with low GWP and zero ODP
- 2/1 GN perforated stainless steel shelves with anti-tilt tray slides.
- Stainless steel exterior and interior
- Heavy duty, non-marking swivel castors with roller bearings and brakes
- Internal bright, low heat, LED lighting
- Himalayan salt block to assist with moisture management and improve flavour
- CoolSmart controller designed for easy operation and clear digital display
- Designed and engineered to operate in environments of up to 43°C ambient
- Ideal operating temperature of +1 to +6°C and humidity between 60-85%
- Two robust meat hanging rails: Maximum load of 40kg per rail
- Self-closing door, with a full length, heavy duty, robust handle
- **Multiple refrigerants are available - please contact your Dubai office for further information**
- **KSA 60Hz SABER options are available - please contact your Dubai office for further information**
- **All prices are in US Dollars**

SINGLE DOOR	DOUBLE DOOR
BOH-MAR1	BOH-MAR2
\$6,786	\$9,774

Technical Specification

Dimensions (mm)	
W 737	W 1400
D 824	D 824
H 1975	H 1975
Capacity (kgs)	
100	200

Temperature

Meat Ageing	+1 / +6°C	Humidity	60-85%
-------------	-----------	----------	--------

Meat Ageing Cabinet LCL Packing

Packing Wooden Crate for LCL Shipment, single section uprights	\$270
Packing Wooden Crate for LCL Shipment, double section uprights	\$353



FEATURES AND BENEFITS

- 75mm polyurethane insulation with low GWP and zero ODP
- Stainless steel exterior and interior
- 145mm adjustable legs to ensure stability on an uneven floor
- Forced air refrigeration system with enhanced fans to ensure effective air circulation for drying duck
- Ideal operating temperature of +1 to +4°C and humidity between 45-65%
- CoolSmart controller designed for easy operation and clear digital display
- Designed and engineered to operate in environments of up to 43°C ambient
- Removable hanging rods support the flexible arrangement in cabinet for the changeable operation flow
- Self-closing, lockable doors
- **Multiple refrigerants are available - please contact your Dubai office for further information**
- **KSA 60Hz SABER options are available - please contact your Dubai office for further information**
- **All prices are in US Dollars**

SINGLE DOOR	DOUBLE DOOR
BOH-DDR1-SS	BOH-DDR2-SS
\$10,118	\$14,275

Technical Specification

Dimensions (mm)

W 737	W 1400
D 824	D 824
H 1975	H 1975

Capacity (no. of ducks)

12	28
----	----

Temperature

Duck Drying	+1 / +4°C	Humidity	45-65%
-------------	-----------	----------	--------

Duck Drying Cabinet LCL Packing

Packing Wooden Crate for LCL Shipment, single section uprights	\$270
Packing Wooden Crate for LCL Shipment, double section uprights	\$353



FEATURES AND BENEFITS

- Front vented, space saving cabinet
- Designed to operate efficiently up to a 43°C ambient
- Full width integral 'easy grab' door handle
- Self closing doors with magnetic balloon gaskets
- Galvanised back and base
- 304 stainless steel exterior and interior
- Castors to rear, adjustable feet to front for mobility and stability
- Low GWP, Zero ODP polyurethane insulation
- Accepts gastronorm (GN 1/1) pans
- **Multiple refrigerants are available - please contact your Dubai office for further information**
- **KSA 60Hz SABER options are available - please contact your Dubai office for further information**
- **All prices are in US Dollars**

UNDERCOUNTER		COUNTER REFRIGERATION			
1 DOOR REFRIGERATOR	1 DOOR FREEZER	1 DOOR REFRIGERATOR	1 DOOR FREEZER	2 DOOR REFRIGERATOR	2 DOOR FREEZER
H5UC(J)	L5UC(J)	H5CT(J)	L5CT(J)	H10CT(J)	L10CT(J)
\$2,688	\$3,339	\$2,688	\$3,339	\$3,763	\$4,758

Technical Specification

Dimensions (mm)					
W 650	W 650	W 445	W 445	W 865	W 865
D 659	D 659	D 784	D 784	D 784	D 784
H 840	H 840	H 865	H 865	H 865	H 865
Capacity (ltrs)					
132	132	109	109	231	231

Temperature

Refrigerator **H** +1 / +4°C Freezer **L** -18 / -22°C

Aztra Cabinet Options

H5UC/CT 304S/S back	\$72
H5UC/CT 304 base	\$72
H10CT 304S/S back	\$96
H10CT 304 base	\$120
2 Drawers (1 section) + Locks 5UC	\$601

Aztra Cabinet LCL Packing

Packing wooden crate for LCL shipment	\$270
---------------------------------------	-------



FEATURES AND BENEFITS

- Front vented, space saving cabinet
- Designed to operate efficiently up to a 43°C ambient
- Full width integral 'easy grab' door handle
- Self closing doors with magnetic balloon gaskets
- Galvanised back and base
- 304 stainless steel exterior and interior
- Castors to rear, adjustable feet to front for mobility and stability
- Low GWP, Zero ODP polyurethane insulation
- Accepts gastronorm (GN 1/3) pans
- **Multiple refrigerants are available - please contact your Dubai office for further information**
- **KSA 60Hz SABER options are available - please contact your Dubai office for further information**
- **All prices are in US Dollars**

SALAD COUNTER

SINGLE DOOR

DOUBLE DOOR

SU5CT(J)

SU10CT(J)

SU15CT(J)

\$3,378

\$4,601

\$5,393

Technical Specification

Dimensions (mm)

W 699	W 865	W 1226
D 875	D 875	D 875
H 865	H 865	H 865

Capacity (ltrs)

181	247	360
-----	-----	-----

Temperature

Refrigerator **H** +1 / +4°C

Aztra Cabinet LCL Packing

Packing wooden crate for LCL shipment \$270

SU10CT



SU15CT



FEATURES AND BENEFITS

- Space saving, low height Under Broiler Counter
- CoolSmart controller for reduced energy consumption
- Designed to operate efficiently up to a 43°C ambient
- Accommodates 600 or 900mm chargrills and griddles
- 304 stainless steel exterior and interior
- Removable cassette refrigeration system for easy servicing
- Heavy duty, low level, non marking swivel and brake castors
- Galvanised back & base
- **Multiple refrigerants are available - please contact your Dubai office for further information**
- **KSA 60Hz SABER options are available - please contact your Dubai office for further information**
- **All prices are in US Dollars**

1 SECTION 2 DRAWER	2 SECTION 4 DRAWER	3 SECTION 6 DRAWER	1 SECTION 2 DRAWER	2 SECTION 4 DRAWER
UBC2(J)	UBC4(J)	UBC6(J)	UBC7(J)	UBC20(J)
\$3,704	\$4,740	\$5,770	\$3,247	\$4,383

Technical Specification

Dimensions (mm)

W 1095	W 1552	W 2010	W 1300	W 1962
D 670	D 670	D 670	D 782	D 782
H 546	H 546	H 546	H 546	H 546

Capacity (ltrs)

118	208	298	190	346
-----	-----	-----	-----	-----

Temperature

Refrigerator **H** +1 / +4°C

Under Broiler Counter Options

UBC2/5/7 Stainless Steel back 304	\$81
UBC6 Stainless Steel back 304	\$161
UBC4/20 Stainless Steel back 304	\$118
UBC2/5/7 Stainless Steel base 304	\$142
UBC4/20 Stainless Steel base 304	\$213
UBC6 Stainless Steel base 304	\$283

Under Broiler Counter LCL Packing

Packing wooden crate for LCL shipment	\$270
---------------------------------------	-------



UBC6

UBC7

UBC20

FEATURES AND BENEFITS

- Space saving, low height Under Broiler Counter
- CoolSmart controller for reduced energy consumption
- Designed to operate efficiently up to a 43°C ambient
- Accommodates 600 or 900mm chargrills and griddles
- 304 stainless steel exterior and interior
- Removable cassette refrigeration system for easy servicing
- Heavy duty, low level, non marking swivel and brake castors
- Galvanised back & base
- **Multiple refrigerants are available - please contact your Dubai office for further information**
- **KSA 60Hz SABER options are available - please contact your Dubai office for further information**
- **All prices are in US Dollars**

VARIABLE TEMPERATURE UNDER BROILER COUNTERS

UBC-VT-21-1 (150HMM)	UBC-VT-21-1 (200HMM)	UBC-VT-21-2 (150HMM)
\$4,318	\$5,243	\$8,636

Technical Specification

Dimensions (mm)		
W 1090	W 1090	W 1090
D 670	D 670	D 720
H 470	H 520	H 840
Capacity		
2/1 GN pan (150Hmm) x 1	2/1 GN pan (200Hmm) x 1	2/1 GN pan (150Hmm) x 2

Temperature

Variable	-22 / +4°C
----------	------------

Variable Temperature UBC LCL Packing

Packing wooden crate for LCL shipment	\$270
---------------------------------------	-------

UBC-VT-21-1 (150H)



UBC-VT-21-2 (150H)



FEATURES AND BENEFITS

- Refrigerated preparation well
- Hinged lid designed to stay open for easy access
- Designed to operate efficiently up to a 32°C ambient
- Fitted with non-slip rubber feet
- Space saving, wall mount option available
- Accepts 100mm deep 1/3 and 1/6 Gastronorm pans
- 304 stainless steel exterior and interior
- Galvanised base
- **Multiple refrigerants are available - please contact your Dubai office for further information**
- **KSA 60Hz SABER options are available - please contact your Dubai office for further information**
- **All prices are in US Dollars**

SELF CONTAINED REFRIGERATED WELL

TW4	TW9	TW15	TW18
\$1,356	\$1,517	\$1,635	\$1,791

Technical Specification

Dimensions (mm)

W 638	W 980	W 1510	W 1862
D 375	D 375	D 375	D 375
H 241	H 241	H 241	H 241

Capacity (GN pans)

2 x 1/3	4 x 1/3	7 x 1/3	9 x 1/3
---------	---------	---------	---------

Temperature

Refrigerator **H** +4 / +10°C

Thermowell Options

S/S 304 Base for TW4	\$91
S/S 304 Base for TW9	\$91
S/S 304 Base for TW15	\$120
S/S 304 Base for TW18	\$139
TW9/15 Thermowell wall brackets set	\$163
TW9/15 Thermowell counter brackets set	\$320
TW18 Thermowell wall brackets set	\$244
TW18 Thermowell counter brackets set	\$479

Thermowell LCL Packing

Packing wooden crate for LCL shipment, single section uprights	\$270
--	-------



FEATURES AND BENEFITS

- Designed to operate efficiently up to a 43°C ambient
- Self closing lockable doors with magnetic balloon gaskets
- 75mm polyurethane insulation for excellent thermal efficiency
- Suitable for 60 x 40 bakery trays
- Auto defrost
- Heavy duty non marking swivel and brake castors
- Galvanised back & base
- **Multiple refrigerants are available - please contact your Dubai office for further information**
- **KSA 60Hz SABER options are available - please contact your Dubai office for further information**
- **All prices are in US Dollars**

ONE DOOR		TWO DOOR		THREE DOOR	
REFRIGERATED	FREEZER	REFRIGERATED	FREEZER	REFRIGERATED	FREEZER
HB1U(J)XD	LB1U(J)XD	HB2U(J)XDD	LB2U(J)XDD	HB3U(J)XDDD	LB3U(J)XDDD
\$3,661	\$4,137	\$4,590	\$5,191	\$5,816	\$6,612

Technical Specification

Dimensions (mm)					
W 970	W 970	W 1500	W 1500	W 2030	W 2030
D 760	D 760	D 760	D 760	D 760	D 760
H 850	H 850	H 850	H 850	H 850	H 850
Capacity (ltrs)					
230	230	428	428	625	625

Temperature

Refrigerator **H** +1 / +4°C Freezer **L** -18 / -22°C

Bakery Counter Options

Back Splash to 100mm height and 20mm deep	\$144	N Drawer Bank Set with Lock	\$771
HB-1 304 Stainless Steel back	\$104	W Drawer Bank Set with Lock	\$1,154
HB-2 304 Stainless Steel back	\$120	HB Heated Glass Door (in lieu of S/S door)	\$350
HB-3 304 Stainless Steel back	\$155	Internal Light 1/2 Section L counters	\$130
Opal/Jade/Emerald/Bakery 1U 304 under base	\$142	Internal Light 3 Section L counters	\$194
Opal/Jade/Emerald/Bakery 2U 304 under base	\$237	HB Pass Through door (per door section)	\$907
Opal/Jade/Emerald/Bakery 3U 304 under base	\$237	HB Wire Shelf 400x600 PE coated	\$67
Opal/Jade/ Biscuit Top (Worktop removed and replaced with Stainless Steel)	\$0	Shelf Slides (pair) also suitable for GN containers	\$37

Bakery Counter LCL Packing

Packing wooden crate for LCL shipment	\$270
---------------------------------------	-------



FEATURES AND BENEFITS

- Stylish, high performance gastronorm counter (GN 2/1)
- CoolSmart controller for reduced energy consumption
- Designed to operate efficiently up to a 43°C ambient
- Removable cassette refrigeration system for easy servicing
- 75mm insulation
- 304 Interior and exterior SS
- Self closing lockable doors with magnetic balloon gaskets
- Heavy duty, non marking, swivel and brake castors
- **Multiple refrigerants are available - please contact your Dubai office for further information**
- **KSA 60Hz SABER options are available - please contact your Dubai office for further information**
- **All prices are in US Dollars**

ONE DOOR		TWO DOOR			
REFRIGERATED		FREEZER	REFRIGERATED		FREEZER
HE1U(J)XD	ME1U(J)XD	LE1U(J)XD	HE2U(J)XDD	ME2U(J)XDD	LE2U(J)XDD
\$3,891	\$4,016	\$4,261	\$4,577	\$4,692	\$5,004

Technical Specification

Dimensions (mm)					
W 1102	W 1102	W 1102	W 1765	W 1765	W 1765
D 770	D 770	D 770	D 770	D 770	D 770
H 850	H 850	H 850	H 850	H 850	H 850
Capacity (ltrs)					
290	290	290	547	547	547

Temperature

Refrigerator **H** +1 / +4°C Freezer **L** -19 / -22°C Meat **M** -2 / +2°C

Emerald Counter Options

Stainless Steel back for HE1U	\$104	Drawer 2 bank GN2/1 Set (add "N" to counter code)	\$738
Stainless Steel back for HE2U	\$122	Drawer 3 bank GN2/1 Set (add "W" to counter code)	\$1,106
Stainless Steel back for HE3U	\$159	Opal/Jade/Emerald Counter - Heated glass door for single section with LED	\$409
Back Splash to 100mm height and 20mm deep	\$144	Opal/Jade/Emerald Counter - Heated glass door for 2 section with LED light	\$690
Opal/Jade/Emerald/Bakery 1U 304 under base	\$142	Opal/Jade/Emerald Counter - Heated glass door for 3 section with LED light	\$1,034
Opal/Jade/Emerald/Bakery 2U 304 under base	\$237	Pass Through Opal/Jade/Emerald	\$912
Opal/Jade/Emerald/Bakery 3U 304 under base	\$237	Raised pan holder Opal/Jade/Emerald	\$2,459
Counter Top side splash (per side).	\$91	PE coated wire shelf GN 2/1	\$67
Opal/Jade/Emerald Well for GN pan with insulated S/S cover	\$1,095	Shelf slides (pair) also suitable for GN containers	\$37

Emerald Counter LCL Packing

Packing wooden crate for LCL shipment \$270



FEATURES AND BENEFITS

- Stylish, high performance gastronorm counter (GN 2/1)
- CoolSmart controller for reduced energy consumption
- Designed to operate efficiently up to a 43°C ambient
- Removable cassette refrigeration system for easy servicing
- 75mm insulation
- 304 Interior and exterior SS
- Self closing lockable doors with magnetic balloon gaskets
- Heavy duty, non marking, swivel and brake castors
- **Multiple refrigerants are available - please contact your Dubai office for further information**
- **KSA 60Hz SABER options are available - please contact your Dubai office for further information**
- **All prices are in US Dollars**

THREE DOOR MEAT AND FREEZER REFRIGERATED COUNTERS

HE3U(J)XDDD

\$5,402

ME3U(J)XDDD

\$5,524

LE3U(J)XDDD

\$6,329

Technical Specification

Dimensions (mm)

W 2426	W 2426	W 2426
D 770	D 770	D 770
H 850	H 850	H 850

Capacity (ltrs)

803	803	803
-----	-----	-----

Temperature

Refrigerator **H** +1 / +4°C Freezer **L** -19 / -22°C Meat **M** -2 / +2°C

Emerald Counter Options

Stainless Steel back for HE1U	\$104	Drawer 2 bank GN2/1 Set (add "N" to counter code)	\$738
Stainless Steel back for HE2U	\$122	Drawer 3 bank GN2/1 Set (add "W" to counter code)	\$1,106
Stainless Steel back for HE3U	\$159	Opal/Jade/Emerald Counter - Heated glass door for single section with LED	\$409
Back Splash to 100mm height and 20mm deep	\$144	Opal/Jade/Emerald Counter - Heated glass door for 2 section with LED light	\$690
Opal/Jade/Emerald/Bakery 1U 304 under base	\$142	Opal/Jade/Emerald Counter - Heated glass door for 3 section with LED light	\$1,034
Opal/Jade/Emerald/Bakery 2U 304 under base	\$237	Pass Through Opal/Jade/Emerald	\$912
Opal/Jade/Emerald/Bakery 3U 304 under base	\$237	Raised pan holder Opal/Jade/Emerald	\$2,459
Counter Top side splash (per side).	\$91	PE coated wire shelf GN 2/1	\$67
Opal/Jade/Emerald Well for GN pan with insulated S/S cover	\$1,095	Shelf slides (pair) also suitable for GN containers	\$37

Emerald Counter LCL Packing

Packing wooden crate for LCL shipment	\$270
---------------------------------------	-------



FEATURES AND BENEFITS

- High performance, spacious preparation counter with gastronorm storage
- CoolSmart controller for reduced energy consumption
- Designed to operate efficiently up to a 43°C ambient
- Unique airflow design ensures consistent temperature of food in pans
- Self closing lockable doors with magnetic balloon gaskets
- Heavy duty, non marking, swivel and brake castors
- Lid for overnight storage of ingredients
- Accepts gastronorm (GN 1/1) pans on door sections and GN 1/3 on raised pan
- Multiple refrigerants are available - please contact your Dubai office for further information
- KSA 60Hz SABER options are available - please contact your Dubai office for further information
- All prices are in US Dollars

ONYX

2 DOOR	3 DOOR	4 DOOR	5 DOOR
CPC2 (J)	CPC3 (J)	CPC4 (J)	CPC5 (J)
\$8,593	\$9,492	\$10,366	\$11,775

Technical Specification

Dimensions (mm)

W 955	W 1420	W 1885	W 2350
D 909	D 909	D 909	D 909
H 1100/860	H 1100/860	H 1100/860	H 1100/860

Capacity (ltrs)

210	642	868	1094
-----	-----	-----	------

Temperature

Refrigerator **H** +1 / +4°C

Onyx Prep Counter Options

CPC2 back in 304 SS	\$161	CPC4 304 base	\$294
CPC3 back in 304 SS	\$213	CPC5 304 base	\$366
CPC4 back in 304 SS	\$279	Drawer 2 bank set 304 SS w/locks	\$662
CPC5 back in 304 SS	\$350		
CPC2 304 base	\$172		
CPC3 304 base	\$229		

Onyx Prep Counter LCL Packing

Packing wooden crate for LCL shipment	\$270
---------------------------------------	-------



FEATURES AND BENEFITS

- Unique airflow design blows air at 1°C across the pans
- Each well can accommodate 1 of GN 1/3, 2 of GN 1/6 or 3 of GN 1/9 pans
- Designed to operate efficiently up to a 43°C ambient
- Removable ladder racking, anti-tilt shelving
- Refrigerated storage counter below the wells
- Four sliding chopping / preparation boards on MPS3 only
- Side mounted chopping / preparation board storage on MPS3 only
- Optional extendable worktop / preparation area and over-shelf on MPS3 only
- **Multiple refrigerants are available - please contact your Dubai office for further information**
- **KSA 60Hz SABER options are available - please contact your Dubai office for further information**
- **All prices are in US Dollars**

JADE	MAXIPREP
2 DOOR	3 DOOR
HJ2PCA(J)	MPS3
\$7,977	\$5,976

Technical Specification

Dimensions (mm)	JADE	MAXIPREP
Width	W1765	W 1420*
Depth	D 820	D 861*
Height	H 1055/850	H1057/ 864
Capacity (ltrs)	737	336

*Width including side mounted lid storage is 1482mm and *depth 911, including rear brackets

Temperature

Refrigerator **H** +1 / +4°C

Jade Prep Counter/MaxiPrep Station Options

Prep (J) 304 base	\$239
Prep (J) back in 304 SS with louvre	\$122
Drawer 2 bank set 304 SS w/locks	\$662
MPS3 304 grade stainless steel back	\$141
MPS3 304 grade stainless steel base	\$239
Overhead shelf for MaxiPrep	\$187

Jade Prep Counter/ MaxiPrep Station LCL Packing

Packing wooden crate for LCL shipment	\$270
---------------------------------------	-------

HJ2PCA



MPS3



FEATURES AND BENEFITS

- Modular Roll-In cabinet
- CoolSmart controller for reduced energy consumption
- Designed to operate efficiently up to a 43°C ambient
- Self closing door with magnetic gaskets
- Environmentally friendly 90mm ODP Zero foam insulation
- From single rack up to three trolleys maximum
- Optional Roll Through Configuration
- Optional Viewing Panel
- External Ramp available
- Insulated Floor available
- **Multiple refrigerants are available - please contact your Dubai office for further information**
- **KSA 60Hz SABER options are available - please contact your Dubai office for further information**
- **All prices are in US Dollars**

SINGLE SECTION			TWO SECTION		
REFRIGERATOR	MEAT REFRIGERATOR	FREEZER	REFRIGERATOR	MEAT REFRIGERATOR	FREEZER
HRMR-1-T	MRMR-1-T	LRMR-1-T	HRMR-2-T	MRMR-2-T	LRMR-2-T
\$8,662	\$9,082	\$9,790	\$13,222	\$13,871	\$14,571

Technical Specification

Dimensions (mm)

W 905	W 905	W 905	W 1850	W 1850	W 1850
D 982	D 982	D 982	D 982	D 982	D 982
H 2460	H 2460	H 2460	H 2460	H 2460	H 2460

GN 2/1 Trolleys (not Included)

1	1	1	2	2	2
---	---	---	---	---	---

Temperature

Refrigerator **H** +1 / +4°C Freezer **L** -19 / -22°C Meat **M** -2 / +2°C

Ruby Modular Roll-In Options

1 RMR HGD heated glass door (H model only)	\$710	2 RMR Roll Through solid door for Freezer	\$3,556
2 RMR HGD heated glass door (H model only)	\$1,423	3 RMR Roll Through solid door for Freezer	\$3,868
3 RMR HGD heated glass door (H model only)	\$2,133	3 RMR Roll Through solid door for H&M models	\$3,868
1 RMR HGD-RT heated glass door (H model only)	\$2,000	RMR 90mm insulated floor	\$0
2 RMR HGD-RT heated glass door (H model only)	\$4,011	RMR 15mm floor panel for H models	\$0
3 RMR HGD-RT heated glass door (H model only)	\$6,001	1RMR ramp	\$901
1 RMR Roll Through solid door for H&M models	\$1,289	2 RMR ramp	\$1,802
1 RMR Roll Through solid door for freezer models	\$1,289	3 RMR ramp	\$2,703
2 RMR Roll Through solid door	\$2,579		

Ruby Modular Roll-In LCL Packing

Ruby packing crate single section	\$370	Ruby packing crate two section	\$457	Ruby packing crate three section	\$685
-----------------------------------	-------	--------------------------------	-------	----------------------------------	-------

FEATURES AND BENEFITS

- Modular Roll-In cabinet
- CoolSmart controller for reduced energy consumption
- Designed to operate efficiently up to a 43°C ambient
- Self closing door with magnetic gaskets
- Environmentally friendly 90mm ODP Zero foam insulation
- From single rack up to three trolleys maximum
- Optional Roll Through Configuration
- Optional Viewing Panel
- External Ramp available
- Insulated Floor available
- **Multiple refrigerants are available - please contact your Dubai office for further information**
- **KSA 60Hz SABER options are available - please contact your Dubai office for further information**
- **All prices are in US Dollars**

THREE SECTION

REFRIGERATOR

MEAT REFRIGERATOR

FREEZER

HRMR-3-T

MRMR-3-T

LRMR-3-T

\$18,507

\$19,418

\$20,628

Technical Specification

Dimensions (mm)

W 2795	W 2795	W 2795
D 982	D 982	D 982
H 2370 (2460 with floor)	H 2370 (2460 with floor)	H 2370 (2460 with floor)
GN 2/1 Trolleys (not Included)		
3	3	3

Temperature

Refrigerator **H** +1 / +4°C Freezer **L** -19 / -22°C Meat **M** -2 / +2°C

Ruby Modular Roll-In Options

1 RMR HGD heated glass door (H model only)	\$710	2 RMR Roll Through solid door for Freezer	\$3,556
2 RMR HGD heated glass door (H model only)	\$1,423	3 RMR Roll Through solid door for Freezer	\$3,868
3 RMR HGD heated glass door (H model only)	\$2,133	3 RMR Roll Through solid door for H&M models	\$3,868
1 RMR HGD-RT heated glass door (H model only)	\$2,000	RMR 90mm insulated floor	\$0
2 RMR HGD-RT heated glass door (H model only)	\$4,011	RMR 15mm floor panel for H models	\$0
3 RMR HGD-RT heated glass door (H model only)	\$6,001	1RMR ramp	\$901
1 RMR Roll Through solid door for H&M models	\$1,289	2 RMR ramp	\$1,802
1 RMR Roll Through solid door for freezer models	\$1,289	3 RMR ramp	\$2,703
2 RMR Roll Through solid door	\$2,579		

Ruby Modular Roll-In LCL Packing

Ruby packing crate single section	\$370	Ruby packing crate two section	\$457	Ruby packing crate three section	\$685
-----------------------------------	-------	--------------------------------	-------	----------------------------------	-------



REACH-IN BLAST CHILLER/FREEZER



FEATURES AND BENEFITS

- Choice of cabinets from 10-50kg capacity
- Blast Chill & Freeze programs by time or food probe
- Easy to use 1-2-3 control panel - 3 simple steps
- Designed to operate efficiently up to a 43°C ambient
- 75mm ODP insulation for excellent thermal efficiency
- Heavy duty, non marking swivel and brake castors
- Self closing doors with magnetic gaskets
- Accommodates 1/1 Gastronorm pans or shelves and 60 x 40 bakery trays
- Hard or soft chill & freeze programs
- Chiller +90°C to +3°C in 90 mins
- Freezers +90°C to -18°C in 240 mins
- Evaporator tray no drain required
- **Multiple refrigerants are available - please contact your Dubai office for further information**
- **KSA 60Hz SABER options are available - please contact your Dubai office for further information**
- **All prices are in US Dollars**

WBCF10 UR	WBCF20 UR	WBCF30 UR	WBCF40 UR	WBCF50 UR
\$9,542	\$10,850	\$13,603	\$14,469	\$16,650

Technical Specification

Dimensions (mm)

W 777	W 777	W 777	W 777	W 777
D 879	D 879	D 879	D 879	D 879
H 885	H 1290	H 1735	H 1735	H 1905

Blast Chill Capacity (kg)

10	20	30	40	50
----	----	----	----	----

1/1 GN pan capacity (not included)

3	6	10	10	13
---	---	----	----	----

Reach-In Blast Chiller/Freezer Options

WBCF10 S/S 304 back	\$81
WBCF20 S/S 304 back	\$120
WBCF30 S/S 304 back	\$157
WBCF40 S/S 304 back	\$157
WBCF50 S/S 304 back	\$178
WBCF Reach-in all models S/S 304 base	\$96

Reach-In Blast Chiller/Freezer UBC LCL Packing

Packing wooden crate for LCL shipment	\$270
---------------------------------------	-------

WBCF10



WBCF20



WBCF30



WBCF40



WBCF50



FEATURES AND BENEFITS

- CoolSmart controller for reduced energy consumption
 - Designed to operate efficiently up to a 32°C ambient
 - Double glazed (BC1, BC2, BC3)
 - Barrel locked doors for improved display and security
 - Energy saving LED lighting
 - ODP zero Foam Insulation
 - Fully adjustable nylon coated wire shelving
 - Condensate vaporizer (no drain required)
 - Multiple refrigerants are available - please contact your Dubai office for further information
 - KSA 60Hz SABER options are available - please contact your Dubai office for further information
 - All prices are in US Dollars
- *External 430/ internal 430 S/S - 8K mirror

LOW HEIGHT			FULL HEIGHT	
1 GLASS DOOR	2 GLASS DOORS	3 GLASS DOORS	1 GLASS DOOR	2 GLASS DOOR
BC1-U*	BC2-U	BC3-U	BC 95	BC 200
\$2,231	\$3,402	\$4,283	\$5,319	\$7,572

Technical Specification

Dimensions (mm)				
W 600	W 900	W 1352	W 645	W 1290
D 530	D 530	D 530	D 635	D 635
H 800	H 800	H 800	H 1770	H 1770
Capacity (330ml cans)				
122	204	309	266	558

Temperature

Refrigerator **H** +4 / +10°C

Bottle Cooler Options

BC1-U 430 S/S solid door	\$202
BC2-U 430 S/S solid door	\$403
BC3-U 430 S/S solid door	\$605
BC95 304 S/S solid door	\$255

Bottle Cooler LCL Packing

Packing wooden crate for LCL shipment	\$270
---------------------------------------	-------



FEATURES AND BENEFITS

- CoolSmart controller for reduced energy consumption
- Designed to operate efficiently up to a 32°C ambient
- Double glazed (BC1, BC2, BC3)
- Barrel locked doors for improved display and security
- Energy saving LED lighting
- ODP zero Foam Insulation
- Fully adjustable nylon coated wire shelving
- Condensate vaporizer (no drain required)

- Multiple refrigerants are available - please contact your Dubai office for further information
- KSA 60Hz SABER options are available - please contact your Dubai office for further information
- All prices are in US Dollars

GLASS FROSTER FEATURES AND BENEFITS

- Stainless steel exterior
- Polished stainless steel interior
- Fully adjustable nylon coated wire shelves
- Barrel locked doors for added security
- CoolSmart controller
- Robust, heavy duty door

SINGLE DOOR (HIGH AMBIENT)			DOUBLE DOOR (HIGH AMBIENT)		
BC1SS-U	BC1SS-U 316	BC1SS-U 316 SOLID	BC2SS-U	BC2SS-U 316	BC2SS-U 316 SOLID
\$3,561	\$4,298	\$4,501	\$4,982	\$6,014	\$6,418
Technical Specification			Technical Specification		
Dimensions (mm)			Dimensions (mm)		
W 600	W 600	W 600	W 900	W 900	W 900
D 530	D 530	D 530	D 530	D 530	D 530
H 800	H 800	H 800	H 800	H 800	H 800

THREE DOOR			GLASS FROSTER
BC3SS-U	BC3SS-U 316	BC3SS-U 316 SOLID	GF1
\$6,255	\$7,520	\$8,123	\$2,388
Technical Specification			Technical Specification
Dimensions (mm)			Dimensions (mm)
W 1352	W 1352	W 1352	W 600
D 530	D 530	D 530	D 530
H 800	H 800	H 800	H 853

Temperature

Refrigerator **H** +4 / +10°C Glass Froster **L** -10 / -20°C

Bottle Cooler Options

BC1-U 304 S/S solid door	\$202
BC2-U 304 S/S solid door	\$403
BC3-U 304 S/S solid door	\$605

Bottle Cooler / Glass Froster LCL Packing

Packing wooden crate for LCL shipment	\$270
---------------------------------------	-------



FEATURES AND BENEFITS

- Designed to operate efficiently up to a 32°C ambient
- Double glazed glass door(s) to prevent condensation
- Fitted with cylindrical lock & wall mount bracket
- Energy saving LED lighting
- ODP zero Foam Insulation
- Condensate vaporizer (no drain required)
- **Multiple refrigerants are available - please contact your Dubai office for further information**
- **KSA 60Hz SABER options are available - please contact your Dubai office for further information**
- **All prices are in US Dollars**

WALL MOUNTED BOTTLE COOLER

1 DOOR	2 DOOR	3 DOOR
BCWM-1	BCWM-2	BCWM-3
\$3,332	\$4,677	\$5,824

Technical Specification

Dimensions (mm)		
W 600	W 900	W 1352
D 450	D 450	D 450
H 835	H 835	H 835
Capacity (330ml cans)		
96	120	180

Temperature

Refrigerator **H** +4 / +10°C

Bottle Cooler LCL Packing

Packing wooden crate for LCL shipment \$270



FEATURES AND BENEFITS

- Double layers ultra-clear toughened heated film glass on four sides
- Defrost water is vaporizer with heat recovery, no drain connection is required
- Digital controller for easy operation and fail-safe performance
- Precision injection, high density polyurethane insulation
- Efficient forced air cooled system, remote condensing unit
- 304 grade black no.4 finish S/S exterior
- 304 8K mirror finish S/S interior
- Designed to operate efficiently up to a 32°C ambient
- Slanted chrome coated stainless steel wine rack
- Warm white LED lighting on each level of wine rack
- All visible bends are V-cut
- Removable top evaporator section
- Automatic defrost
- Anti-condensation door frame heaters
- Double glazed Argon filled glass
- 50mm ODP zero foam Insulation
- **Multiple refrigerants are available - please contact your Dubai office for further information**
- **KSA 60Hz SABER options are available - please contact your Dubai office for further information**
- **All prices are in US Dollars**

SINGLE DOOR				DOUBLE DOOR
BC1W-U-DR	BC1W-U-PR	BC95W-DR	BC95W-PR	BC200W-DR
\$3,180	\$3,448	\$5,507	\$6,151	\$7,962

Technical Specification

Dimensions (mm)

W 600	W 600	W 645	W 645	W 1290
D 530	D 530	D 635	D 635	D 635
H 800	H 800	H 1770	H 1770	H 1770

Capacity (750ml bottles)

20 (Diamond wine shelves)	18 (Pull out wine shelves)	70 (Diamond wine shelves)	54 (Pull out wine shelves)	140 (12 S/S punched shelves)
---------------------------	----------------------------	---------------------------	----------------------------	------------------------------

Temperature

Variable +4 / +22°C

Wine Cooler UBC LCL Packing

Packing wooden crate for LCL shipment, single section uprights	\$270
Packing wooden crate for LCL shipment, double section uprights	\$353



Williams' high quality Front of House Display range can be tailored to suit your footprint and application.

The standard range includes models for sushi; pâtisserie; ice cream, chocolate and wine display.


Each model is designed to deliver the optimum combination of aesthetics and functionality, maximising the display area while delivering high performance refrigeration.

Our premium display models offer the highest standards in manufacture, with v-cut bending, 45° cut glass for all round visibility and invisible handles and hidden controllers.



SPECIFICATION OPTIONS

1. PIR Fire Rated Walls
2. POD Refrigeration System
3. LED Lighting
4. Control Panel
5. Internal Release
6. Access Ramps
7. Sliding Doors
8. Foamed in Conduit
9. Temperature Monitoring
10. Viewing Panel
11. Foot Operated Door Opener



THE COMPLETE COLDROOM SERVICE

We make sure you get the very best from your investment by helping you maximise your storage capacity and minimise your running costs.

We will support you on every level, from conceptual design through to formal specification and beyond with quality workmanship and aftercare.

We offer flexible solutions and bespoke designs to suit even the most unique environment.

- Range of panel widths and heights
- 90mm ODP zero foam insulated panels for outstanding thermal efficiency
- Camlocks foamed in to tongue and groove joints for a tight locking stable structure and used for roof, wall and floor panels.
- Silicon sealed, waterproof and weathertight joints for neat hygienic fitting - prevents moisture and bacterial penetration
- Foamed in heater mats available
- Williams Unique POD refrigeration system for enhanced storage capacity and hassle free maintenance

Selecting the most suitable refrigeration equipment is vital in providing efficient and reliable cooling for many years.

Whether you're looking for an integral refrigeration system or a remote unit, Williams will help you select the most suitable system for your application.

There's also a wide variety of door options, from fully rebated ones that sit flush, avoiding potential damage by trolleys, to sliding doors, which are ideal in rooms where space is an issue. Personnel (flip/flap) doors with viewing panels are a suitable solution for busy preparation areas.

With the ever-increasing pressure on kitchen space, our weather-proof external coldrooms are becoming a popular choice.

Our vastly experienced Project Management Teams offer full national coverage and are geographically based to deal with any installation on a local basis. Our experience of designing and installing coldrooms for a wide variety of applications is unrivalled.

SERVICE & SUPPORT

Full after sales support and an on-going commitment to all our customers.

For further information on Williams coldrooms visit our website and download a brochure, or for a free and simple site survey, please contact Williams Sales Office.

Fully camlocked roof, floor & walls



External room



Tailor made solutions



Single rooms or flush fitting suites



PARTS WARRANTY

All Williams equipment have a 12-month Parts Warranty from date of purchase.

Gaskets warranty is limited to a 1-year Warranty for manufacturing defects only.

Replacement of defective equipment will only be made where Williams Refrigeration or its authorised agent, representative or distributor has determined that effective repair is not practical. Responsibility is limited to the replacement of the equipment, of components (excluding labour) and in no case is Williams Refrigeration liable for consequential loss or damage. If you purchase direct from the main distributor, your warranty may also include labour costs. Please check with your supplier in conjunction with his terms of sale.

In instances where a piece of equipment fails to perform to the reasonable satisfaction of the customer, the customer may apply for a refund of the purchase price in full, provided that notification of dissatisfaction is received within 10 days of installation and subject to the following:

- i) The equipment is function incorrectly and has been installed correctly and has not been subject to misuse.
- ii) The equipment was purchased by the supplying distributor direct from Williams Refrigeration and not through a wholesaler or other supplier whose warranty may be different.
- iii) Made to measure modular cold storage is expected.

Our responsibilities under this warranty shall cease if:

- a) Authorised representatives of Williams Refrigeration are denied full and free rights of access to the equipment for inspection at a convenient time.
- b) The customer permits persons other than those authorised by Williams Refrigeration to perform or effect repairs or adjustments to the equipment.
- c) The customer has not properly maintained the equipment or carried out annual servicing, in accordance with instructions, literature or directions issued by Williams Refrigeration.
- d) The customer fails to observe commonly accepted operating practices.
- e) Repairs are made using spare parts or replacements not of the same make as those supplied originally as components of the equipment unless authorised by Williams Refrigeration.
- f) Equipment fails through misuse, accidental damage or power surges.

SPECIALS

Where equipment is manufactured to the customers' own design, Williams Refrigeration will not be liable for any non performance or operation of the equipment as a result of a design fault.

CLAIMS PROCEDURE

If a customer wishes to make a claim under the terms of this warranty, the following procedure should be observed:

1. Contact the supplying agent, representative or distributor.
2. Quote the equipment model, serial number and date of installation. The serial number is located on the product identification plate inside the cabinet, modular product door frame or similar location. It is recommended that operators should also record the serial number on the operating instruction booklet supplied with the product.
3. Contents risk and insurance responsibility remains at all times with the customer.
4. This warranty does not cover consumable items such as batteries, fuses, light bulbs, printer cartridges, keys, glass, paper roll and condenser filters.

A current list of main distributors is available on request.

1. Application of Terms

- i) In these Conditions, unless the context requires otherwise:
Buyer: means the person, firm or company who had ordered or agreed to purchase Goods from the Seller.
Goods: means any goods to be supplied to the Buyer by the Seller (including any of them or any part of them).
Seller: means AFE Group Limited trading as Williams Refrigeration (company no. 3872673)
- ii) These Conditions apply to all quotations issued, offers and orders received. No alterations shall take effect unless confirmed by the Seller in writing.
- iii) No term, condition or warranty not recorded herein shall be binding on the Seller, all terms of the Buyer are hereby excluded and no term or conditions delivered with or contained in the Buyer's purchase order or other document shall form part of the contract.

2. Prices

- i) Errors and omissions are subject to correction.
- ii) Unless otherwise stated in writing, prices charged will be those set out in the Seller's published price list in force at the date of dispatch.
- iii) Unless otherwise specified, prices include costs for standard packing and the supply and standard delivery only of Goods but not for their off-loading, positioning or installation.
- iv) All prices are exclusive of V.A.T and any other applicable sales tax or duty which will be added where applicable.

3. Payment

- i) In respect of all initial orders and whenever else specified by the Seller, the Buyer shall pay in full before Goods are dispatched. In all other cases payment must be made in full by no later than 30 days from the date of delivery, subject to credit account application approval.
- ii) The Buyer shall make all payments due under any contract in full without any deduction whether by way of set-off counterclaim, discount, abatement or otherwise.
- iii) Where payment is not received by due date the Seller reserves the right to charge interest on outstanding amounts for each month or part of a month that payment is overdue, at the rate of 2.5 per cent per month or part thereof and/or at the Seller's option, to suspend all deliveries of all goods to the Buyer.
- iv) Should the Seller be prevented by the Buyer from effecting delivery on the due date, the full price of the Goods shall become payable as if the Goods had been delivered.

4. Delivery

- i) Delivery of the Goods shall be completed on the Goods' arrival at the agreed delivery destination.
- ii) Any time expressed for delivery shall be deemed to be an estimate only, time not being of the essence of the contract unless separately agreed to in writing by the Seller. The Seller accepts no liability for any loss sustained by the Buyer through late delivery, and further where a time for delivery has been agreed but delivery is delayed for any reason beyond the control of the Seller or the Buyer's failure to give adequate delivery instructions, a reasonable extension of time shall be allowed to the Seller.

- iii) Where working drawings have to be approved by either the Buyer or his agent then the estimated delivery period is to be calculated from the date of receipt in writing of this approval.
- iv) Where a time for delivery is agreed and the Buyer fails, for whatever reason, to accept delivery, the Seller reserves the right to make a reasonable charge for storage (including insurance). Should delivery not be possible after one week's delay the Seller shall be entitled to submit his invoice and the normal conditions of payment will apply.
- v) The Buyer shall provide adequate labour and unloading facilities at the place of delivery at his own risk and expense.
- vi) If advanced notice of the appropriate arrival time of delivery vehicle is required, this must be stated on the order.

5. Cancellation of Order

- i) Standard Items – A cancellation charge of 25% of nett invoice value will be made to cover the Seller's administration and other costs.
- ii) Orders for Modular, Raised Pan Holder Counters, Off Standard & Special Items – Once manufacture has commenced, cancellation of items made to a Buyer's specific requirements or specification will involve, in addition to the cancellation charge (referred to in clause 5i) all manufacturing and other costs incurred by the Seller up to the time of cancellation.
- iii) Once Goods have been delivered they are not in any circumstances returnable without the Seller's agreement in writing.
- iv) If seller is in agreement, return of goods must be in accordance with the seller's returns policy. (available from our website).

6. Damage or Loss in Transit

- i) The Seller's responsibility ends with the arrival of Goods at the designated delivery destination. The Seller is not liable for any damage or loss caused during unloading or thereafter.
- ii) Goods should be examined on arrival by the Buyer or his agent and details of any damage or loss entered on the Carrier's note and notified to the seller immediately.
- iii) Once Goods have been delivered they are not in any circumstances returnable without the Seller's agreement in writing.

7. Carriage

- i) An additional charge will normally be made for increased packing, express delivery or delivery outside the mainland of the United Kingdom.
- ii) Any special delivery arrangements by passenger train, carriers or similar requests by the Buyer will be charged at cost.
- iii) The Seller reserves the right to institute a fuel surcharge on some or all shipments without prior notice. The fuel surcharge will be applied to such services and for such periods as the Seller, in its sole discretion, may determine necessary.

8. Property and Risk

- i) Title to the Goods supplied by the Seller shall not pass to the Buyer until:
 - a) the purchase price and all other monies owing by the Buyer in relation to those Goods or the price (whether or not due) are paid in full; and
 - b) there are not monies owing by the Buyer to the Seller on any account (whether or not due).
- ii) Notwithstanding this reservation of title the Buyer may resell any goods in the ordinary course of business which remain the property of the Seller in which event the Buyer shall remit the proceeds of sale to the Seller and until so doing shall hold such proceeds of sale on trust for the Seller and in such a way that they are kept separate and are readily identifiable.
- iii) The Seller shall be entitled (but not obliged) at any time to recover and dispose of any Goods to which it has retained title under this clause and the Buyer will be deemed to have granted to the Seller an irrevocable license for so long as any monies shall remain owing to it to enter the Buyer's premises to inspect and recover any such goods.
- iv) The Buyer agrees and undertakes in respect of all Goods that remain the property of the Seller:
 - a) to store the same in such a way that they are readily identifiable as the property of the seller;
 - b) to insure the same to their full value; and
 - c) to hold the same in all respects as bailee for the Seller.
- v) Where the property in the goods has not passed the Seller may nevertheless maintain an action against the Buyer for the purchase price and all other monies then owing to the Seller in relation to the goods notwithstanding Section 49 of the Sale of Goods Act 1979.
- vi) If the Seller repossesses or resells its Goods it shall credit the Buyer in the Seller's accounts (in each case after deduction of all expenses of recovery and/or sale) with the lesser of (i) the net value or proceeds of the sale (as the Seller may elect) of the goods and (ii) the invoiced price (excluding value added tax) to the Buyer of the Goods.
- vii) Notwithstanding the provisions of Condition 8ii) above the Goods shall be at the risk of the Buyer from the time when they are tendered for delivery at an agreed destination or are available for collection by the Buyer or cease to be in the Seller's possession and in particular when they are delivered into the possession or custody of a carrier, forwarding agent, warehouseman or other bailee or agent for the purposes of transmission whether or not such person contracts with or is instructed by the Seller or the Buyer.

9. Drawings / Symbols

All drawings prepared by the Seller shall remain the Seller's property and copyright and therefore must not be wholly or partially used or copied without the Seller's written permission.

10. Description

Illustrations, descriptions and dimensions, in the Seller's catalogue or documents, although correct in general detail, shall not form part of the contract and do not constitute a sale by description. The Seller's policy is one of continuing improvement and the Seller reserves the right to vary or modify the design specification or surface finish without notice, unless written undertaking has been given to the contrary.

11. Replacement

Where the Goods supplied by the Seller are of the Seller's design and manufacture the Seller will make good any defects in those Goods subject to the following conditions:-

- i) The Buyer shall notify the Seller in writing at the Seller's address, Unit C, 12/F, Roxy ind. Ctr. 58-66 Tai Lin Pai Rd. Kwai Chung, N.T. Hong Kong, within 10 days of the date of delivery.
- ii) The Seller shall be provided with an adequate opportunity to examine the Goods.
- iii) The Seller shall not be obliged to replace any Goods or make any allowance or other arrangement if, in the reasonable opinion of the Seller, the defect has arisen from accident, misuse, neglect, incorrect installation, lack of reasonable maintenance, or any other cause beyond the control of the Seller.
- iv) Where the defect is reasonably attributable to the fault of the Seller, the Seller shall replace or repair the defective Goods, but shall not be liable for any costs of removal of the defective Goods, or of the installation of replacement Goods, nor any consequential loss or damage arising therefrom.
- v) The Seller will not accept any charges for remedial work which is carried out without its express authority and approval.
- vi) The Seller's liability shall be limited to the repair or replacement of materials and components manufactured by the Seller. No Goods are guaranteed by the Seller for any specific length of time but are warranted to be free from defect in workmanship and materials at the time of delivery. No liability can be accepted in respect of products that have become defective due to contact with corrosive liquids such as strong bleaching solutions and fluids, photographic developing liquids, immersion type silver cleaning fluids, chloride cleaning solutions and the like which are injurious to any metals or plastics and components used in those Goods.
- vii) Where Goods and components supplied by the Seller are not of the Seller's design and manufacturer, the Seller's liability shall be limited to the guarantee provided by the manufacture of such Goods and components.
- viii) The Seller shall not be under any duty arising from clause 11 of these Conditions if the Buyer is in breach of any provision of the Contract with the Seller until the Buyer has remedied the breach.

12. Indemnity

- i) The Buyer shall indemnify the Seller against all damages, penalties, costs and expenses (including any direct, indirect or consequential losses, loss of profit, loss of reputation and all interest, penalties and legal and other professional costs and expenses) to which the Seller may be liable if any work done in accordance with the Buyer's specification infringes or allegedly infringes any third party property right.
- ii) The Buyer will keep the Seller indemnified against all actions, costs, claims and liability arising from faulty or unsuitable instructions given by the Buyer or from allegation of breach of the intellectual property rights of a third party arising out of the Seller's instructions.

13. Information

- i) All wiring data sheet diagrams and other information as to the construction, assembly, use, storage, or disposal of the Goods made available to the Buyer before, at the time of or after the time of supply of the Goods to the Buyer shall be supplied to the Buyer to any person to whom the Buyer supplies the Goods or any product in which the Goods are incorporated and the Buyer shall impose a similar requirement on such person. The Buyer shall indemnify the Seller in full against all liabilities, costs, claims, demands and expenses resulting from any failure by any person other than the Seller to make such wiring datasheets diagrams and other information available to any other person.
- ii) Where an indication as to time limits for the use of goods has been supplied to the Buyer the Buyer shall procure that all persons into whose hands the Goods may come are aware of such time limits and shall not supply the Goods after such time limits have been exceeded.
- iii) The Buyer will notify the Seller of any intended application of the Goods other than that contemplated in the information referred to in sub-section i) above so as to enable the Seller to verify that the Goods will be safe for use in such application.

14. Liability

- i) The Seller's express liability under these Conditions shall be the Seller's only liability and the Buyer's only remedy for breach of any contract for the sale of Goods and all other liability of the Seller whether in contract, tort (including negligence), statute or otherwise is hereby excluded.
- ii) The Seller shall not be liable for any consequential loss or indirect loss suffered by the Buyer whether this loss arises from breach of a duty in contract or tort or in any other way (including loss arising from the Seller's negligence). Non-exhaustive illustrations of consequential or indirect loss would be:-
 - a) loss of profits;
 - b) loss of contracts;
 - c) damage to property of the Buyer or anyone else, and personal injury to the Buyer or anyone else (except so far as such injury is attributable to the Seller's negligence);
 - d) site labour costs including removal, replacement or making good or delay or disturbance to other works;
 - e) loss of contents and spoilage of products;
- iii) The Seller's total liability for any one claim or for the total of all claims (other than personal injury claims arising from the Seller's negligence) arising from anyone act or default of the Seller in connection with any contract, whether in contract, tort (including negligence), breach of statutory duty, or otherwise, shall not exceed the contract price or sum of One Million Pounds (£1,000,000.00) whichever is the lesser.
- iv) In the case of Goods not manufactured by the Seller the Seller gives no representation, warranty or condition whatsoever that the sale or use of the Goods will not infringe patent, copyright or other intellectual property rights of any other person, firm or company.

15. Termination and Insolvency

If the Buyer commits any breach of these Conditions or the Buyer becomes insolvent if, in the opinion of the Seller, the financial standing of the Buyer becomes unsatisfactory the Seller may, without prejudice to its other rights and remedies, terminate any contract between the Buyer and the Seller forthwith by notice in writing to the Buyer and suspend or cancel further deliveries without incurring any liability to the Buyer. The Seller shall also be entitled to require immediate payment for all Goods delivered under any contracts subsisting between the parties or (at the Seller's option) security for payment satisfactory to the Seller.

16. Force Majeure

The Seller shall not be liable for any failure or delay in performing its obligations under any contract to the extent that such failure or delay is caused by an event beyond its reasonable control including strikes, lock-outs or other industrial disputes (whether involving its own workforce or a third party's), failure of energy sources or transport network, acts of God, war, terrorism, riot, civil commotion, interference by civil or military authorities, national or international calamity, armed conflict, malicious damage, breakdown of plant or machinery, nuclear, chemical or biological contamination, sonic boom, explosions, collapse of building structures, fires, floods, storms, earthquakes, loss at sea, epidemics or similar events, natural disasters or extreme adverse weather conditions, or default of suppliers or subcontractors.

17. Law

These Conditions and all contracts to which they apply shall be subject to and construed in accordance with English Law and the parties hereby submit to the exclusive jurisdiction of the English courts.

18. General

- i) Any notice shall be in writing and sent by prepaid post sent first class, addressed to the party to be served at its registered office for the time being or the address for that party stated in any order, acknowledgment of order. Notices served by post shall (except where expressly provided otherwise) be deemed served on the second business day after the date of posting; 'business day' shall mean a day other than a Saturday and Sunday or an English Bank or Statutory Public holiday.
- ii) No failure or delay by the Seller in exercising any of its rights under these Conditions shall operate as a waiver thereof.
- iii) In the event that any of these Conditions shall become or shall be declared by any court of competent jurisdiction to be invalid or unenforceable in any way, such invalidity or unenforceability shall in no way impair or affect any of the other conditions hereof all of which shall remain in full force and effect.
- iv) The parties do not intend that any term of these Conditions shall be enforceable by virtue of the Contracts (Rights of Third Parties) Act 1999 by any person that is not a party to it.
- v) Clause headings are for ease of reference only and do not effect construction.
- vi) A reference to a statute or statutory provision is a reference to it as amended, extended or re-enacted from time to time.



Williams Refrigeration Dubai

PO Box 333215
607 Building 1B
Dubai Design District
Dubai, United Arab Emirates

T +971 4 510 8203

E sales@williams-dubai.com

W www.williams-refrigeration.co.uk

W www.williams-hongkong.com.hk



Installation of all Williams products requires adequate ventilation.

Williams reserves the right to modify the design, materials and finish in accordance with its progressive development policy.

Williams Refrigeration is a trading name of AFE Group Limited.
Registered in England & Wales under Registered Number 3872673.
Registered Office Address - Bryggen Road, North Lynn Industrial Estate, Kings Lynn, Norfolk, PE30 2HZ

An Ali Group Company



The Spirit of Excellence